

Message

---

**From:** Paula Schmittiel [Schmittiel.PaulaLNDU@usepa.onmicrosoft.com]  
**Sent:** 2/15/2012 8:57:43 PM  
**To:** Sisk, Richard [Sisk.Richard@epa.gov]  
**Subject:** Re: Access to properties at VB/I-70 Site

Well I can see we are all in the dark a little bit on this access thing.

One thing I noted in the old access agreement was that we would remove the drummed IDW within 24 hours i.e., before we had sample results back from the lab that would indicate what type of disposal would be appropriate. I will check with our contractor to see how they could manage it but I am also wondering if there is any place to store the IDW drums on City of Denver property at the Site until we have sample results.

Paula Schmittiel  
Remedial Project Manager  
U.S. Environmental Protection Agency  
1595 Wynkoop St.  
Denver, Co 80202  
303-312-6861 (office)  
303-312-7151 (fax)  
720-951-0795 (cell)

**From:** Richard Sisk/R8/USEPA/US  
**To:** tgablehouse@gcgllc.com  
**Cc:** Paula Schmittiel/R8/USEPA/US@EPA, John Works/R8/USEPA/US@EPA  
**Date:** 02/15/2012 01:46 PM  
**Subject:** Access to properties at VB/I-70 Site

Tim - Attached is the access agreement that we could locate regarding the properties that EPA would like to access to take samples from wells MW-5 & MW-6.

We haven't found a fully executed copy. Do you still represent these owners?

[attachment "Access Agreement Wells MW-05 & MW-06 - 2005.pdf" deleted by Paula Schmittiel/R8/USEPA/US]

Richard Sisk  
Attorney  
U.S. EPA Region 8  
ENF-L  
1595 Wynkoop  
Denver, CO 80202-1129

Phone: 303-312-6638  
Fax: 303-312-6409  
E-mail: sisk.richard@epa.gov

NOTICE: The information contained in this e-mail is intended only for the use of the recipient(s) named above. This message and any attachments may contain confidential or privileged information. If the reader is not the intended recipient or an agent responsible for delivering it to the intended recipient, you have received this document in error and any review, dissemination, disclosure, distribution, use, or copying of the contents of this message is strictly prohibited. If you have received this communication in error, please notify me immediately by e-mail or telephone and destroy all copies of the original message and any attachments.